

GENERAL CONSTRUCTION NOTES:

1. All building work is to be constructed in accordance with the relevant and current building regulations and to the satisfaction of the building inspector.

DO NOT SCALE FROM THIS DRAWING. **VERIFY ALL DIMENSIONS AND SETTING OUT ON SITE. NOTIFY ANY** DISCREPANCIES TO THE ARCHITECT. FOR HEALTH & SAFETY INFORMATION, REFER TO HEALTH & SAFETY RISK

ASSESSMENTS.

DRAWING. ALL DETAILS SHOWN ARE SUBJECT TO DESIGN DEVELOPMENT.

CONSULTING STRUCTURAL & CIVIL

ENGINEERING DETAILED DESIGN

DRAWINGS & SPECIFICATIONS.

- 2. All work is to comply with the relevant British Standards and codes of current practice.
- 3. All dimensions must be checked on site.
- 4. Construction is to achieve minimum U-values: Ground floor - 0.25 W / m sq. K External walls - 0.26 W / m sq. K Roof - 0.18 W / m sq. K Doors / Windows - 2.0 W / m sq. K (All values stated are to be checked and confirmed within the SBEM calculation and include an air permeability rate of
- 5. Refer to structural engineers drawings for details of foundations, steelwork, retaining walls and drainage.
- 6. Movement joints to be located and specified by the engineer and co-ordinated by the architect.
- 7. Exposed and concealed RWP locations to be in accordance with the proposed plans for both roof and canopy drainage.


The Harris Partnership Ltd do not accept any liability for any combustible composite, insulation or decorative panels.

Glazing set out adjusted.

Glazed screen added along GL A between SSL

NE Elevation - Colour

1:100




SE Elevation - Colour

1:100


NW Elevation - Colour

1:100




SW Elevation - Colour

1:100



F 24.04.24



Building P Ground Floor Plan

1:200

